


Wood Details

Range Name:


Natures Own

Design/Colours	Pack Size
20/6 190MM Brushed & Lacquered	1.805 m2
20/6 190MM Brushed & Oiled	1.805 m2
20/6 1900MM Shabby Chic	1.805 m2
20/6 1900MM Country Oak	1.805 m2
20/6 190MM Hand Carved Antique	1.805 m2
20/6 190MM Hand Carved French Barn	1.805 m2
18/5 90mm Worn Oak	1.584 m2
18/5 90mm Cathedral Oak	1.584 m2
14/3 190MM Brushed & Lacquered	2.166 m2
14/3 125MM Random Brushed & Lac-	1.5 m2
14/3 125 Random Length HC Antique	1.5 m2


Images & Colour Palettes




20/6 190MM Brushed & Lacquered




20/6 190MM Brushed & Oiled




20/6 190MM Shabby Chic




20/6 190MM Country Oak




20/6 190MM Hand Carved Antique




20/6 190MM Hand Carved French Barn




18/5 90MM Worn Oak



18/5 90MM Cathedral Oak



14/3 190MM Brushed & Lacquered



14/3 125MM Random Length Brushed & Lacquered

Images & Colour Palettes



14/3 125MM Random
Length Hand Carved
Antique

SPECIFICATION SHEET

Design	Finish					
	Surface Detail	Stain Colour	Finish Type	Finish Brand	Number Coats	Finish Density g/m ²
20/6 BRUSHED & LACQUERED	Brushed	No	BRUSHED UV LACQUERED	TREFFERT	4	75gm/m ²
20/6 BRUSHED & OILED	Brushed	No	BRUSHED OILED	Klump Wax Oil	2	65gm/m ²
20/6 HAND CARVED ANTIQUE	Hand scraped	Yes	HAND SCRAPED UV LACQUERED ANTIQUE	TREFFERT	5	85gm/m ²
20/6 HAND CARVED FRENCH BARN	Hand scraped	Yes	HAND SCRAPED UV LACQUERED FRENCH BARN COLOR	TREFFERT	5	85gm/m ²
SHABBY CHIC	Brushed	No	BRUSHED SMOKED UV LACQUERED	TREFFERT	4	75gm/m ²
COUNTRY OAK	Brushed	Yes	RANDOM EDGED UV LACQUERED	TREFFERT	5	85gm/m ²
14/3 X 190 BRUSHED & LACQUERED	Brushed	No	BRUSHED UV LACQUERED	TREFFERT	5	
14/3 x 125 BRUSHED & LACQUERED	Brushed	No	BRUSHED UV LACQUERED	TREFFERT	4	75gm/m ²
14/3 x 125 ANTIQUE HAND CARVED	Hand scraped	Yes	HAND SCRAPED UV LACQUERED ANTIQUE	TREFFERT	4	85gm/m ²
WORN OAK	Brushed	Yes	BRUSHED DISTRESSED OILED NO.1 COLOR	Klump Wax Oil	2	65gm/m ²
CATHEDRAL OAK	Hand scraped	Yes	HAND SCRAPED BRUSHED SMOKED WHITE UV LACQUERED	TREFFERT	5	85gm/m ²

Design	Product Dimensions			Timber Grade											Construction	
	Thickness	Width	Length	Product Grade	Grade %					Knots Filler Colour	Healthy Knots Max Size	Un-Healthy Knots Max Size	Filling Cracks	Mineral Streaks	Sapwood	Top Layer
					A	B	C	D	E							Thickness
20/6 BRUSHED & LACQUERED	20	190	1900	BCD	30	30	40			BLACK AND NATRUAL	50mm	40mm	10*300MM	Unlimited	25-30% of board	6.00
20/6 BRUSHED & OILED	20	190	1900	BCD	30	30	40			BLACK AND NATRUAL	50mm	40mm	10*300MM			6.00
20/6 HAND CARVED ANTIQUE	20	190	1900	BCD	30	30	40			BLACK AND NATRUAL	50mm	40mm	10*300MM			6.00
20/6 HAND CARVED FRENCH BARN	20	190	1900	BCD	30	30	40			BLACK AND SMOKED	50mm	40mm	10*300MM			6.00
SHABBY CHIC	20	190	1900	E				100		BLACK AND SMOKED	Unlimited	50mm	Unlimited			6.00
COUNTRY OAK	20	190	1900	BCD	30	30	40			BLACK AND BROWN	50mm	40mm	10*300MM			6.00
14/3 X 190 BRUSHED & LACQUERED	14	190	1900	BCD	30	30	40			BLACK AND NATRUAL	50mm	40mm	10*300MM			3.00
14/3 x 125 BRUSHED & LACQUERED	14	125	300-1200	BCD	30	30	40			BLACK AND NATRUAL	30mm	20mm	5*200MM			3.00
14/3 x 125 ANTIQUE HAND CARVED	14	125	300-1200	BCD	30	30	40			BLACK AND NATRUAL	30mm	20mm	5*200MM			3.00
WORN OAK	18	90	400	BCD	30	30	40			BLACK AND BROWN	30mm	20mm	3*100MM			5.00
CATHEDRAL OAK	18	90	400	BCD	30	30	40			BLACK AND SMOKED	30mm	20mm	3*100MM	5.00		

Nesting: One row with max 2 split planks
Edge Detail: 45° bevel, 0.5-1.2mm
Profile: T&G
Tolerance Level: 0.15mm +/-
Manufactured: China
Moisture Content: 8-10%
Suitable For Under Floor Heating (Water & Electric): Yes
Floated: Yes
Full Glue: Yes
Batten Glue: Yes
Nailed: Yes
Adhesive Underlay: NA
Structural onto Joists: NA
Top Layer Species: Oak (Source - Europe)
Plywood Material: Eucalyptus (Source - China) Thickness 1.7-2.2
Plywood Material: Poplar (Source - China) Thickness: 1.7-2.2